This Manual is provided by

CBTricks.com

Someone who wanted to help you repair your equipment put together this information.

Midland 18-802 Owner's Manual

If you would like to help us put more manuals online support us.

If you would like to help with this project let us know.

Supporters of CBTricks.com paid for the hosting so you would have this file.

CBTricks.com is a non-commercial personal website was created to help promote the exchange of service, modification, technically oriented information, and historical information aimed at the Citizens Band, GMRS (CB "A" Band), MURS, Amateur Radios and RF Amps.

CBTricks.com is not sponsored by or connected to any Retailer, Radio, Antenna Manufacturer or Amp Manufacturer, or affiliated with any site links shown in the links database. The use of product or company names on my web site is not endorsement of that product or company.

If your company would like to provide technical information to be featured on this site I will put up on the site as long as I can do it in a non-commercial way.

The site is supported with donation from users, friends and selling of the Galaxy Service Manual CD to cover some of the costs of having this website on the Internet instead of relying on banner ads, pop-up ads, commercial links, etc. Thus I do not accept advertising banners or pop-up/pop-under advertising or other marketing/sales links or gimmicks on my website.

ALL the money from donations is used for CBTricks.com I didn't do all the work to make money (I have a day job). This work was not done for someone else to make money also, for example the ebay CD sellers.

All Trademarks, Logos, and Brand Names are the property of their respective owners. This information is not provided by, or affiliated in any way with any radio or antenna Manufacturers.

Thank you for any support you can give.



MODEL 18-802

12 Volt DC-1.2Amp Power Adaptor ELECTRONICALLY REGULATED



OWNER'S GUIDE

INTRODUCTION

This 18-802 Power Adaptor is designed especially to power transceivers up to 4 watts, but will supply the power requirements of other equipment up to 1.2 Amps.


CAUTION: Maximum current capacity is 1.2 Amps.

INSTALLATION

TO OPERATE MIDLAND TRANSCEIVERS ON EXTERNAL POWER.

- (1) Connect the ends of power input lead of transceiver to the DC power output terminals of the adaptor.
- (2) Insert AC plug into AC (110-120 volt) socket.
- (3) Turn power switch "on".
- (4) Turn on transceiver to operate.

SCHEMATIC DIAGRAM



SPECIFICATIONS

Input Voltage

: AC 120V 60 $C/S(\pm 10\%)$

Output Volage

: Within 12.8V ± 0.5 V (12.8V at 1.2A Load)

Ripple

: Less than 20 mV

Current Drain

: AC 120V less than 100mA (No load)

Under ±5% fluctuation of output voltage

for $\pm 10\%$ fluctuation of input voltage.

Fuse Capacity : 3A DC Line

1A AC Line

WARRANTY POLICY

Midland Electronics Company warrants each new Midland product to be free from defects in material and workmanship under normal use and service for a period of 90 days after delivery to the ultimate user and will replace or repair the product, at our option, at no charge should it become defective and which our examination shall disclose to be defective and under warranty.

This warranty shall not apply to any Midland product which has been subject to misuse, neglect, accident, incorrect wiring not of our own installation, or to use in violation of instructions furnished by us, nor extended to units which have been repaired or altered outside of our factory.

This warranty does not cover carrying cases, earphones, batteries, antennas, broken or cracked cabinets, or any other accessory used in connection with the product.

This warranty is in lieu of all other warranties expressed or implied and no representative or person is authorized to assume for us any other liability in connection with the sale of our products.

Sales receipt must accompany product to validate date of purchase.

MIDLAND ELECTRONICS COMPANY

110W. 12th Ave. North Kansas City, Missouri 64116

Copyright 1974 Midland Electronics Company
North Kansas City, Missouri 64116 U.S.A.
Made Exclusively for Midland Electronics Co. in Japan.

Printed in Japan